

GARAGE SOLUTIONS

VOL. 1

RG TOOLS
NEW MULTI-TOOL

January 2025 - April 2025

BLUBIRD PREMIUM
WORKSHOP HOSES

TRUCK TPMS VALVE
BOX KIT




// ONE BRAND // ONE SOURCE // ONE SYSTEM

THE **NEW** WIRELESS CHARGING RANGE



VISION WIRELESS CHARGING

VISION WIRELESS CHRGING COMPACT SPOTLIGHT



REF

EHL W410

VISION WIRELESS CHARGING

VISION COB WIRELESS ADJ BEAM TORCH 900LM




REF

EHL W430

VISION WIRELESS CHARGING

VISION COB WIRELESS WORK LAMP/FLEX LIGHT



REF

EHL W440



VISION COB WIRELESS SLIM INSPECTION LAMP



REF

EHL W420



VISION COB WIRELESS SLIM INSPECTION LAMP



CHARGES MOBILE PHONES



REF

EHL W400



LIGHT + WIRELESS CHARGER COMBOS



EHL W410
+
EHL W400
EHL W411

EHL W430
+
EHL W400
EHL W431

EHL W440
+
EHL W400
EHL W441

EHL W420
+
EHL W400
EHL W421

Charge two devices at the same time with the wireless charging pad!

VISION

NEW
ARRIVAL

LIGHT UP YOUR ENGINE BAY




10W Multi Position COB LED Inspection Lamp

Secure & Flexible Positioning!

W: 500mm x D: 40mm x H: 42mm

EHL1000



Silicone Grippers + 360° Rotary Hooks

Multi Position 40 SMD LED Under Bonnet Lamp

W: 1 200mm x D: 60mm x H: 65mm


Extended: W: 2000mm x D: 60mm x H: 65mm

EHL1010





VISION COB HEAVY DUTY WORK LAMP EWL102



REF

EWL 102



1500LM+ FOCUS CONTROL PRO TORCH

NEW
ARRIVAL






REF

311 3208



VISION MOTION SENSOR HEAD TORCH ETL201



TILT MECHANISM

MOTION SENSOR

REF

ETL 201

VISION

Check out the full range...



WWW.VISION-LIGHTS.CO.UK

REMA TIP-TOP AUTOMOTIVE UK // ONE BRAND // ONE SOURCE // ONE SYSTEM

Garage Solutions Vol. 1



12V EMERGENCY TYRE REPAIR KIT

**NEW
ARRIVAL**

Kit includes...

12V compressor | 450ml sealant bottle | Accessories for inflatables | Instructions and PREMIUM zipped CARRY CASE

SUITABLE FOR:



**SPARE SEALANT
RG10042**



TPMS SAFE
& COMPATIBLE



WORKS IN
UNDER 10 MINUTES



NO LIFTING OR
TOOLS REQUIRED



WORKS AS A
REGULAR INFLATOR



QUICK & SIMPLE TO USE!

REF

RG10040



VDE TOOL SET

27 Piece Set 3/8" Drive



• 1 x Combi Pliers • 1 x Side Cutters • Open End Wrenches: 7, 8, 10, 12, 14 mm
• Screwdrivers: PH1 x 100 mm, PH2 x 100 mm, SL1.0 x 125 mm, SL0.8 x 100 mm
• 2 Cable Knives • 3/8" Drive Ratchet • 3/8" Drive Extension 100 mm • 3/8" Drive Sockets: 7, 8, 10, 12, 14 mm • 3/8" Drive Sockets: 1/4", 5/16", 3/8", 1/2", 9/16" • 3/8" Drive T-Handle

REF

RG10140



INSULATED SCREWDRIVER SET

8 Piece Set



Slotted 2.5 x 75 mm • Slotted 4 x 100mm • Slotted 5.5 x 125mm • Slotted 6.5 x 150 • Slotted 0 x 60mm • Phillips 1 x 80mm • Phillips 2 x 100mm • Voltage Tester

REF

RG10411



25FT MAGNETIC RETRACTABLE BARRIER

CAUTION - DO NOT ENTER

- Enhanced Safety
- Durable Protection
- Ultimate Portability
- Technician Safety First
- Effortless Installation
- Magnetic Strength
- Reliable Security



SUPER STRONG MAGNETS!

CAUTION -

REF

519 1863

MARTINS

4 BAR TYRE INFLATION SAFETY CAGE

- Safely inflate your TBR tyres and multi-piece rims.
- For tyres up to 119.4 cm OD X 48 cm wide.
- The bestseller in its category.
- Compliant with CE and DGUV – BGR 157 requirements



REF

311 1019



MOBILE ENERGY. MOBILE AIR.

3-l battery operated starter with jump leads, battery operated tcompressor, safety light/torch.

KEY FEATURES

- ✓ Start booster 2000A
- ✓ Compressor with auto start-stop 10bar
- ✓ High capacity lithium power bank 55.5Wh
- ✓ Multifunctional led light

Battery Capacity: 55.5Wh
Lithium-Ion Starting Voltage: 12V
Starting Current: 1000A
Peak Current: 2000A
Pressure Range: 10~150PSI
Sensor Accuracy: ±2PSI
In&Output USB-C: 5V~20V/3A PD60W
Output: USB-A: 5V/3A, 9V/2A, 12V/1.5A
Charging Time Approx: 1 hour (with USB-C 60W)
LED: 300 Lumens
Polarity: Red(+), Black(-)
Charging Temp: 0°C to 45°C
Operating Temp: -20°C to 50°
Storage Temp: -20°C to 50°



Can also charge mobile phones!

REF

595 2976

REMA TIP-TOP AUTOMOTIVE UK // ONE BRAND // ONE SOURCE // ONE SYSTEM

Garage Solutions Vol. 1



TPMS IS MANDATORY FOR NEWLY APPROVED TRUCKS & TRAILERS 2024

TRUCK TPMS VALVE BOX KIT

Truck TPMS Valve Box Kit offers an ideal solution for maintaining fleets of heavy goods vehicles. This comprehensive kit includes six valves of varying lengths and angles, ensuring compatibility with a wide range of rim types. Each valve is manufactured to OE quality standards, making this kit highly recommended for enhancing TPMS tyre maintenance.



Kit contains...

5629398

LENGTH

58mm

ANGLE

45°

SCREW TORQUE

4Nm



x10

5629396

LENGTH

73mm

ANGLE

0°

SCREW TORQUE

4Nm



x10

5629397

LENGTH

78mm

ANGLE

17°

SCREW TORQUE

4Nm



x10

5629399

LENGTH

43.5mm

ANGLE

0°

SCREW TORQUE

4Nm



x10

5629394

LENGTH

54mm

ANGLE

22°

SCREW TORQUE

4Nm



x10

5629395

LENGTH

63mm

ANGLE

27°

SCREW TORQUE

4Nm



x10

REF

562 9400

HURRICANE

3 TONNE HURRICANE TROLLEY JACK


KG 3,000KG **mm** 33.5KG **MAX** 500MM **MIN** 80MM

KEY FEATURES

- ✓ FOLDED CHASIS DESIGN INCREASES RIGIDITY & DURABILITY
- ✓ SAFETY DESCENT VALVE ENSURES A SLOW CONTROLLED DECLINE
- ✓ TWIN PISTON MECHANISM FOR A SMOOTH RAPID LIFT
- ✓ RUBBER SADDLE PREVENTS DAMAGE TO THE CHASIS



TURN YOUR JACK INTO AN AXLE STAND WITH THE JACK BLOCK
PAGE 12



NEW
ARRIVAL

REF

518 5039

HURRICANE

20 TON LOW PROFILE AIR/ HYDRAULIC BOTTLE JACK

KEY FEATURES

- ✓ Capacity: 20 Ton
- ✓ Minimum Lift Height: 177mm
- ✓ Maximum Height: 323mm
- ✓ Ram Stroke: 86mm
- ✓ Screw Adjustment: 60mm
- ✓ Air Pressure: 110-120psi
- ✓ Air Inlet Fitting: 1/4" Male
- ✓ Factory set 8 bar air pressure

32% SHORTER THAN THE STANDARD 20T BOTTLE JACK!



REF

870 9913

Get in Touch!

AUTOSALES@TIP-TOP.CO.UK 0113 277 0044

HURRICANE

12T AXLE STANDS (PAIR)

KEY FEATURES

- ✓ 12T CAPACITY 12T CAPACITY
- ✓ 300-470MM WORKING RANGE 300-470MM WORKING RANGE
- ✓ FULLY WELDED FRAME FOR MAXIMUM STRENGTH
- ✓ LOCKING PINS WITH STORAGE SLOT LOCKING PINS
- ✓ CONVENIENT CARRY HANDLE CONVENIENT CARRY HA



REF

870 2529

HURRICANE

12T AXLE STANDS (PAIR)

KEY FEATURES

- ✓ Suitable for low entry heavy-duty vehicle support applications.
- ✓ Screw height adjustment.
- ✓ Robust construction ensures maximum stability and long life.
- ✓ Supplied passivated with zinc-plated support columns.
- ✓ Full base plates to ensure even distribution of the load.
- ✓ Minimum Height: 200MM



REF

870 3442



// ONE BRAND // ONE SOURCE // ONE SYSTEM

EV JACKING PUCKS

PACK QTY: 1



HYUNDAI KONA

519 4494



TESLA

519 4491



FORD MACH E

FRONT

519 4492

REAR

519 4493



Protects the EV battery housing and ensures every lift is safe and professional!



THE **AXLE STAND** REVOLUTION.

QUICKLY TURN YOUR TROLLEY JACK INTO AN AXLE STAND WITH THE...

FAST LOCKING TROLLEY JACK BLOCK



352mm



217mm



3.5^T



1.7KG

- ✓ WORKS WITH MOST TROLLEY JACKS
- ✓ IDEAL WHEN LIFTING EV'S
- ✓ QUICK INSTALL SPRING RELEASE



FAST LOCK JACK BLOCK

REF

311 2451

TYRE TRAC JACK

Use the jack... Not your back

**NEW
ARRIVAL**

THE EFFORTLESS TYRE REMOVAL & INSTALLATION TOOL

- Heavy-duty welded steel construction offers extreme durability
- Steel base roller offers tyre support and rolling convenience
- Ease of wheel removal and install
- Simple in design mounting and demounting heavy wheel
- No need to lift with your back
- Installation is just as easy

8 lbs / 3.6kg L: 8.5" x W:6.5" x H: 3"



OPTIONAL ROLLER PLATE

ALLOWS WHEEL ROTATION FOR
LINING UP BOLTS

REF: 519 3944



REF

519 3942



ENGINEERED FOR PERFORMANCE

Hand Tools designed with Automotive Professionals in mind


BL
MOTOR

LITHIUM
ION
TECHNOLOGY


CHECK OUT OUR
COMPATIBLE
ABRASIVES & BITS
PAGE 20-21




IMPACT WRENCH

- RG Cordless Impact Wrench has been designed with the latest 20v Lithium-ion battery technology, providing 50% longer runtime and 25% more power.
 - 5225 Brushless Motor ensures that the wrench has a compact and streamlined design while providing all the power you need, with a low vibration level of 0.59 M/S.
 - 3-Speed Gearbox with variable speed trigger for superior and precise control.
- Perfect for use in the automotive industry.

20V
LITHIUM ION

1/2"
SHAFT OUTPUT

1,300Nm
MAX TORQUE

2,000
MAX RPM


PAIR THIS WITH THE
POWERHAND 11PC 1/2" MASTER
ALLOY WHEEL SOCKET SET
PAGE 16

Perfect for high-torque applications

REF

RG10000



IMPACT DRIVER



1/4

HEX DRIVE



20V

LITHIUM ION



4,000

MAX RPM



3200IPM

IMPACT FREQUENCY



320Nm

MAX TORQUE



REF

RG10023K



MULTI-TOOL

**NEW
ARRIVAL**



20V

LITHIUM ION



6 SPEED

OSCILLATING RATE



KICKBACK

PROTECTION FUNCTION



VARIABLE

SPEED 5000-19000 RPM



*Comes with accessory
starter pack*



REF

RG10028K



ANGLE GRINDER



20V

LITHIUM ION



115mm

MAX DISC DIAMETER



10,000

RPM IDLE SPEED



M14

SPINDLE THREAD



700W

INPUT POWER



REF

RG10018K



5.0AH BATTERY

Lithium-ion Batteries maintain a constant voltage output until fully discharged, ensuring optimal performance.



REF

RG10057

REMA TIP-TOP AUTOMOTIVE UK // ONE BRAND // ONE SOURCE // ONE SYSTEM

Garage Solutions Vol. 1



// ONE BRAND // ONE SOURCE // ONE SYSTEM

BREAKBACK WINDOW TORQUE WRENCH

- ✓ 300-1000Nm/200-750ft-lb
- ✓ Push-through ratchet allows two direction tightening.
- ✓ Tolerance of torque $\pm 4\%$.
- ✓ Quality meets DIN ISO 6789 & ASME B107.300-2010.

DUAL SCALE
BELOW WINDOWREVOLVING HANDLE
TORQUE ADJUST

REF

RG10160

POWER HAND

11PC 1/2" MASTER ALLOY WHEEL SOCKET SET

STANDARD PROFILE SOCKETS

15MM | 17MM | 19MM | 21MM | 22MM | 23MM | 24MM

SPECIALIST PROFILE SOCKETS

17MM: MERCEDES-BENZ | 21MM & 27MM: HYUNDAI | 7/8": TESLA

Supplied in laser-cut eva foam,
housed-in heavy-duty powercase!



REF

870 1152

NUMERIC WINDOW TORQUE WRENCH

- ✓ 60-340Nm/44-251ft-lb
- ✓ Tolerance of torque $\pm 3\%$.
- ✓ CW/CCW direction.
- ✓ Quality meets DIN ISO 6789 & ASME B107.300-2010.



LED LIGHTS
INSIDE



PULL OUT KNOB
FOR ADJUSTMENT



REF

RG10150



5 PIECE 1" DEEP IMPACT SOCKET SET

24mm / 27mm / 30mm / 32mm
33mm / 34mm / 38mm



REF

870 1150



7 PIECE 1" DEEP IMPACT SOCKET SET

24mm / 27mm / 30mm / 32mm
33mm / 34mm / 38mm



REF

RG10260

BluBird

ULTRA-LIGHT. SUPER-STRONG.

**PREMIUM WORKSHOP HOSES
WITH UNMATCHED PERFORMANCE**



**STRONGEST
& MOST FLEXIBLE**



**POLYESTER
REINFORCED**



**4 FINGER BEND
RESTRICTOR**



**TEMPERATURE
FLEXIBILITY**

TEMPERATURE RANGE -30°F TO 190°F



**BluBird
OIL SHIELD**

**NEXT GEN RUBBER AIR HOSE
RMA CLASS A OIL RESISTANT**

**RESISTS WELDING
SPATTERS AND
GRINDING SPARKS!**



BluBird

**AIRLINE HOSE 6MM
(20M) HD**



MORE SIZES AVAILABLE. GET IN TOUCH.

REF

311 2596

BluBird

**WHIP HOSE
13MM (5FT)**



MORE SIZES AVAILABLE. GET IN TOUCH.

REF

311 2708

BluBird

**AIR HOSE REEL
13MM (15M)**



MORE SIZES AVAILABLE. GET IN TOUCH.

REF

311 2631

Oil SHIELD®

**AIR HOSE REEL 10MM
(15M) HD**



MORE SIZES AVAILABLE. GET IN TOUCH.

REF

311 3166

Garage Solutions Vol. 1

REMA TIP-TOP AUTOMOTIVE UK // ONE BRAND // ONE SOURCE // ONE SYSTEM



autosales@tip-top.co.uk

0113 277 0044

Westland Square · Leeds · West Yorkshire · LS11 5XS +44 (0)113 277 0044 www.rema-tiptop.co.uk



// ONE BRAND // ONE SOURCE // ONE SYSTEM