



// ONE BRAND // ONE SOURCE // ONE SYSTEM



// SERVICE // MATERIAL PROCESSING // SURFACE PROTECTION // AUTOMOTIVE

AUTOMOTIVE **PROGRAMME**



Contents...


Tube Patches	4	Tyre Inflation Accessories & Gauges.	27
Tyre Patches	5	Electric Tools	28
Combi & String Repair	6	Cutting Discs	29
Repair Kits	7	Bits & Bristles	30
Rubber Repair	8	Drill Bits	31
Mounting & Demounting	9	Workshop Lighting	32
Chemical Cleaning & Vulcanising	10	Electric Vehicle Tooling.	34
Lubrication & Chemical Finishing	11	Car, Van & Motorcycle Valves	35
Repair Tools	12	Tubeless Valves for Truck, Bus & Tractor	36
Buffing & Mill Cutters.	13	Valve Extensions & Extension Holders	37
Regrooving	14	Valve Cores & Tools	38
Protecting, Cleaning & Caring.	15	Valve Caps & Connectors.	39
Jacking & Lifting Equipment	16	TPMS Valve Box Kits	40
Jacking & Lifting Accessories.	17	TPMS Tyre Pressure Management Systems	42
Bead Breaking Equipment.	18	Contact	43
Tyre Bars & Levers.	19		
Hammers	20		
Torque Wrenches	21		
Balance Weights.	22		
Wheel Balancing & Accessories	23		
Air Tools.	24		
Air Hoses & Air Hose Reels	25		
Tyre Inflation Tools & Couplings	26		



Tube Patches

TUBE PATCHES // RED EDGE

- Rema Tip-Top tube patches with double-scalloped edge applied with Rema Tip-Top SVS vulcanising fluid ensure perfect bonding through vulcanisation
- Due to the stepped multi-layer structure of the tube patch body they stretch evenly in all directions when the tube is inflated
- They leave no edges on the repair area



PN	DESC	SIZE						QTY
500 0029	F 1	Ø 25 mm	▪					100
500 0036	No. 0	Ø 30 mm	▪	▪	▪			100
500 0043	No. 1	Ø 35 mm	▪	▪	▪			30
500 0050	No. 2	Ø 45 mm		▪	▪			30
500 0067	No. 3	Ø 54 mm			▪	▪	▪	30
500 0081	No. 4	Ø 75 mm			▪	▪	▪	30
500 0108	No. 5	Ø 94 mm				▪	▪	10
500 0122	No. 6	Ø 116 mm				▪	▪	10
500 0201	No. 7	74x37 mm		▪	▪			30
500 0263	No. 7B	150x75 mm				▪	▪	10



Patch Euro



563 1907



501 0285

PN	DESC	QTY	PN	DESC	QTY
503 8046	Patch Euro No1 35mmØ	200	503 8101	Patch Euro No5 94mmØ	20
503 8053	Patch Euro No2 45mmØ	100	503 8125	Patch Euro No6 116mmØ	20
503 8060	Patch Euro No3 54mmØ	100	501 0285	Valve Air/Water TR218A New Style	1
503 8084	Patch Euro No4 75mmØ	50	563 1907	Rim Ferrule Plastic TR13 to 16mmØ	10

Tyre Patches

CROSS-PLY REPAIR PATCHES // SERIES PN

- Repair patches for durable repairs to cross-ply tyres of all sizes, especially for tread, shoulder and sidewall injuries
- Suitable for both self-vulcanising and hot-vulcanising processes due to the fully integrated bonding layer. Use in conjunction with the appropriate Rema Tip-Top accelerator solutions



	PN	DESC	LAYERS	PATCH IN CORD Ø DIRECTION	QTY
	502 6010	PN-UNIVERSAL 01	1	55mm	30
	502 6020	PN-UNIVERSAL 02	1	77mm	30
	502 6037	PN-DIAGONAL 03	2	100mm	10
	502 6044	PN-DIAGONAL 04	2	120mm	10
	502 6051	PN-DIAGONAL 05	4	160mm	10
	502 6068	PN-DIAGONAL 06	6	235mm	10
	502 6075	PN-DIAGONAL 07	6	295mm	10
	502 6082	PN-DIAGONAL 08	6	345mm	5
	502 6099	PN-DIAGONAL 09	8	390mm	5
	502 6109	PN-DIAGONAL 010	8	450mm	3

RADIAL REPAIR PATCHES // SERIES 100

- The reference product from passenger car to OTR/EM
- Universal use
- 5 years shelf life
- Rayon Cord
- Indispensable for repairing forklift truck and OTR/EM tyres



	PN	DESC	LAYERS	DIMENSIONS	QTY
	502 1104	110TL	1	55 x 75mm	20
	502 1159	15TL	1	90 x 75mm	20
	502 1160	116TL	1	104 x 67mm	10
	502 1207	120TL	2	80 x 125mm	10
	502 1221	122TL	2	175 x 75mm	10
	502 1245	124TL	2	220 x 75mm	10
	502 1252	125TL	3	125 x 115mm	10
	502 1269	126TL	3	260 x 75mm	10
	502 1360	135TL	4	203 x 148mm	10
	502 1403	140TL	3	195 x 100mm	10
	502 1427	142TL	4	260 x 130mm	10
	502 1441	144TL	4	335 x 130mm	10

Combi & String Repair


MINICOMBI

- Designed for repairing punctures in radial and cross-ply tyre treads
- Self-vulcanising for a permanent, airtight bond
- Seals both the tyre interior and puncture channel in a single step
- Prevents moisture, dirt, and debris from damaging the casing and belts
- Available with a time-saving metal pilot for precise application
- All Minicombi Packs and workshop kits include FAST DRY CEMENT BL (515 9570) for optimal adhesion



PN	DESC	QTY
509 1957	A3 Workshop Kit	25
509 1964	A3 PREMIUM Refill Pack	50
509 2152	COMBI-PACK A3/A6 PREMIUM	25/20
509 2200	COMBI-PACK A6/B8 PREMIUM	20/20
509 3041	A6 PREMIUM Workshop Kit	20
509 3072	A6 PREMIUM Refill Pack (No Metal Pin)	40
511 3057	A6 MINICOMBI Refill Pack	40

PN	DESC	QTY
509 3096	B8 PREMIUM Workshop Kit	20
509 3106	B8 PREMIUM Refill Pack	20
509 3128	B8 PREMIUM Refill Pack (No Metal Pin)	20
509 3137	B10 PREMIUM Refill Pack	20
509 3144	B10 PREMIUM Refill Pack (With Metal Pin)	20
509 3209	A4.5 PREMIUM Workshop Kit	20
509 3216	A4.5 PREMIUM Refill Pack	40



STRING REPAIR 510 1801

SEALFIX strings for temporary sealing of tread punctures. We recommend demounting the tyre from the rim in order to properly inspect the puncture, ensure that the seal is applied effectively, and prevent any further damage to the tyre during the sealing process.



518 1808



510 3414



510 2457



510 3421



510 0021

PN	DESC	QTY
510 1808	Sealfix String – Long Type (Brown)	25
510 1801	Sealfix String	50
510 1839	Sealfix String (Black)	25

PN	DESC	QTY
510 0021	Inserting Tool for Sealfix	1
510 3421	Chemi-Cure EM Needle	1
510 3414	Chemi-Cure EM	40
510 2381	Pistol Grip Needle 6mm	1

Repair Kits



506 0351



510 2350



510 1155



510 2161

SEALASTIC TT 612 510 2161

a reliable temporary tyre repair solution, ideal for cross-ply truck tyres, earthmover tyres, and agricultural vehicles. Designed for injuries up to 8mm in truck tyres and 15mm in earthmover and agricultural tyres, it allows for repairs at speeds up to 40 km/h when used with a carbide mill cutter. Available in convenient refill packs, the Sealastic TT 612 provides a quick and efficient repair method for tyre professionals. For larger injuries, Rema Tip-Top patches are recommended as per their repair chart.

PN	DESC	QTY
510 1155	Sealastic Kit EM Plug + 80g Cement	1
510 2367	Sealastic Kit Car/Van – 25x Plugs + 40g Cement	1
510 2147	Sealastic Plugs – Truck	20
510 2161	Sealastic Plugs – EM	20

PN	DESC	QTY
510 3108	Sealastic Plugs – Car/Van	50
510 2457	Insert Tool – Side Load 8" Heavy Duty	1
506 0351	Repair & Air – Motorcycle Tubeless Tyre Kit	1
510 2350	Remaseal ATV/Quad Bike Repair Kit	1

Rubber Repair



516 0980



517 2007



517 2000



517 2014



516 1009



517 1058



517 1065



517 1072

MTR SUPER FINISH RUBBER 516 1009

- Uncured rubber compound for excellent surface finish particularly in the tyre sidewall area
- Good flowing and vulcanising characteristics
- Required vulcanising temperature: at least 100 °C (212°F)
- Max. temperature for warming up MTR SUPER FINISH RUBBER 80 °C (176 °F)
- Use only with Solution MTR
- High pressure variant suitable for aircraft applications
- Suitable for both hot and cold vulcanising

PN	DESC	QTY
516 0980	Rubber Rope – Super Finish (12kg)	1
516 1009	T/Press MTR Rubber (5kg) – 1.0 x 500 x 8000	1
517 2000	Tyre Fill (50ml)	1
517 2014	Tyre Fill Spare Nozzle	1

PN	DESC	QTY
517 2007	Tyre Fill Gun	1
517 1058	Rubber Fill (310ml)	1
517 1065	Caulking Gun	1
517 1072	Spare Nozzle	1

Mounting & Demounting



593 0508



593 0515



593 1851



593 0553



593 1765



593 0546



870 3179



593 0618



593 0625

MONT 2000 593 1851

High-viscosity tyre mounting paste designed to ensure smooth and efficient tyre fitting and removal. Its advanced formula reduces friction, preventing bead damage and ensuring a secure seal between the tyre and rim. Suitable for both car and commercial vehicle tyres. It provides excellent adhesion and durability. Supplied in a 5 kg tub, it's an essential product for workshops and tyre professionals.

PN	DESC	SIZE	QTY
593 0515	Mounting Cream Truck	5kg	1
593 0508	Mounting Cream-W	5kg	1
593 0546	Bead Paste	5kg	1
593 0632	Mounting Paste	5kg	1
593 1765	Mounting Paste Black	5kg	1
593 1851	Mont 2000 Mounting Paste	5kg	1

PN	DESC	SIZE	QTY
593 0553	Mounting Wax	5kg	1
596 6081	Mounting Compound		1
593 0618	Mounting Paste Brush Truck		1
593 0625	Mounting Paste Brush Car		1
870 3179	Tyre Bath		1

Chemical Cleaning & Vulcanising



FAST DRY CEMENT 515 9570

- Dries twice as fast as SPECIAL CEMENT SC-BL
- Ideal for quick, small repairs, including tread-area punctures and one-step applications with Rema Tip-Top RAD, PN, and UP repair patches
- Supports self-vulcanisation from 18°C (65°F) and hot vulcanisation up to 150°C (300°F)
- Transparent formula ensures easy differentiation from the blue SPECIAL CEMENT

PN	DESC	SIZE	QTY
515 9028	Inner Liner Sealer (Brush Top)	175g	1
515 9004	Inner Liner Sealer	650g	1
515 9011	Inner Liner Sealer	4kg	1
505 0732	Liquid Buffer (Aerosol)	500ml	1
505 0828	Liquid Buffer	1L	1
505 9719	Liquid Buffer (CFC Free)	5L	1

PN	DESC	SIZE	QTY
505 9197	Vulcanising Fluid Tin	175g	1
515 9405	Cement Blue (CFC Free)	200g	1
515 9570	Cement Blue Fast Dry	175g	1
593 0649	Talcum Powder Shaker	500g	1
593 2670	TT Seal (Tyre Puncture Sealant)	1L	1

Lubrication & Chemical Finishing



LIQUID SPANNER 222 0149

A high-quality release oil used to penetrate all seized parts caused by rust, corrosion, paint, scale, or carbon. Liquid Spanner also acts as a lubricant and displaces moisture, protecting metal surfaces from further corrosion and scaling. Its non-damaging formula is harmless to metals, plastics, and paintwork, making it safe for a variety of applications.

PN	DESC	SIZE	QTY
999 9497	Air Tool Oil	1 Litre	1
999 9435	Hydraulic Oil	1 Litre	1
999 9442	Leak Detector	1 Litre	1
222 0156	Penoyl Lubricant (Aerosol)	400ml	1
222 0187	Brake Cleaner (Aerosol)	400ml	1
222 0149	Liquid Spanner (Aerosol)	400ml	1
222 0163	Liquid Spanner	5 Litres	1
593 0735	Bead Sealer	946ml	1
593 0687	Bead Sealer	1 Litre	1
596 6077	Wheelseal Sealer	5kg	1

PN	DESC	SIZE	QTY
596 6180	Wheelseal Sealer Black	5kg	1
593 0663	Liquid Bead Lubricant	5 Litres	1
593 0670	Liquid Bead Lubricant	25 Litres	1
518 4708	Super SlickEm Lubricant	3.8 Litres	1
593 0044	Bead Paste Black	5kg	1
593 5080	Black Tyre Paint Bucket	20kg	1
593 1208	STS Tyre Sealant	20 Litres	1
593 1215	STS Tyre Sealant Pump Unit		1
593 1106	Plastic Spray Bottle		1

Repair Tools



824 3058



824 3041



596 1027



595 1044



836 5606



836 5620



510 2343



510 2336



595 2057



595 2074



595 2067



595 0186



595 4515



595 2294



596 6008



596 6015

PN	DESC	QTY
824 3041	Brush Wire 5 Row	1
824 3058	Brush Wire Scratch	1
595 2057	Knife Skiving 11132	1
595 2067	Knife 6" Blade	12
595 2074	Knife Skiving 6" Blade	1
595 2294	Pliers 6" Combination	1
596 1027	Stitcher 4mm	1
595 1044	Stitcher 4mm Ball Bearing	1

PN	DESC	QTY
836 5606	Tyre Prodder Straight	1
836 5620	Tyre Prodder Bent 1013	1
510 2343	Spiral Awl 3"	1
510 2336	Remacure Inserting Tool	1
311 2750	Scraper Inner Liner	1
595 0186	Brush No. 10 for Application of Cement	1
596 6008	Chalk Marking Yellow	12
596 6015	Chalk Marking White	12

Buffing & Mill Cutters



596 0121



595 2304



595 0076



595 4326



875 9236

PN	DESC	SIZE	QTY
596 0121	Flap Wheel – 80 Grit	25mm x 60mm	1
595 2304	Golf ball Stone – Shaft	6mm Ø	1
595 0076	Brush Wire – Rotary	60mm	1

PN	DESC	SIZE	QTY
595 4326	Contour Wheel (No Arbour)	65mm	1
875 9236	Buffing Wheel – 16 Grit	51mm X 12.7mm	1



511 1781



595 4900




511 1925



595 4948

PN	DESC	SIZE	QTY
511 1781	Mill Cutter HSS	6mm Ø	1
511 1798	Mill Cutter HSS	8mm Ø	1
595 4900	Mill Cutter Carbide	3mm Ø	1

PN	DESC	SIZE	QTY
511 1925	Mill Cutter Carbide Long	6mm Ø	1
595 4948	Mill Cutter Carbide	8mm Ø	1
511 1944	Mill Cutter Carbide	10mm Ø	1



REMA TIP TOP supply a comprehensive range of buffing media and accessories. The products listed above illustrate a popular but small selection. The full range includes:

- Chip cones
 - Buffering Wheels
 - Domed contour rasps
- Mill cutters
 - Buffing stones
 - Limestones
- Grinding tools
 - Rotary wire brushes

Regrooving




564 2212



564 1220



Fix Blades



RUBBER CUT 414

564 1220

- Ergonomic, fatigue-proof design
- Automatic overheating protection (DIN 30600)
- Separate handle and transformer for better control
- 8 heating levels for adjustable cutting speed
- Insulated cutting head for safety
- Cutting width: 3-28mm (FIX regrooving blades)

PN	DESC	QTY
564 1220	Rubbercut Regroover RC414 240V	1
564 1230	Rubbercut Regroover RC414 110V	1
564 0820	Rubbercut Blade Holder Set	1
564 2212	Regoover Rillfit 6 Heat 110v	1
564 2229	Regoover Rillfit 6 Heat 240	1
564 2700	Fix Blades R1 Round	20
564 2810	Fix Blades R2 Round	20
564 2827	Fix Blades R3 Round	20

PN	DESC	QTY
564 2834	Fix Blades R4 Round	20
564 2748	Fix Blades R5 Round	20
564 2858	Fix Blades W1	20
564 2865	Fix Blades W2	20
564 2872	Fix Blades W3	20
564 2889	Fix Blades W4	20
564 2896	Fix Blades W5	20
564 2906	Fix Blades W6	10

Protecting, Cleaning & Caring



875 8975



875 9302

PN	DESC	SIZE	QTY
875 8975	Nitrile Black Diamond Grip	M	90
875 8973	Nitrile Black Diamond Grip	L	90
875 8974	Nitrile Black Diamond Grip	XL	90
875 8976	Nitrile Black Diamond Grip	XXL	90
875 9074	PU Coated Nylon Black	L	1
875 9088	Nitrile Coated Palm (Seamless)	L	1
875 9360	Traffi Cut Resistant Gloves	M	1
875 9367	Traffi Cut Resistant Gloves	L	1
875 9374	Traffi Cut Resistant Gloves	XL	1
875 9302	Traffi Lightweight Nitrile Foam	L	1



593 0443



5930235



593 0261

PN	DESC	SIZE	QTY
593 0443	Hand Cleaner Super	11 Litre Bucket	1
593 0235	Toilet Rolls	320 Sheets	36
593 0261	Hand Roll Blue		6

Jacks & Lifting Equipment



518 5039



870 9913



870 2529



870 3442



870 9902



518 4529



518 4605



518 4988



870 4245

PN	DESC	T	QTY
518 5039	Hurricane Trolley Jack	3.0T	1
518 4529	Standard Trolley Jack	2.0T	1
518 4605	Turbo Lift Trolley Jack	3.0T	1
518 4988	Twin Piston Trolley Jack (PU Wheels)	3.0T	1
870 2946	AX20-240 Bottle Jack	20T	1
870 3127	ATD10-120 Bottle Jack	10T	1
870 9902	Omega Air/Hydraulic Bottle Jack	20T	1
870 9923	Standard Bottle Jack	20T	1
870 9916	Extra Low Bottle Jack	20T	1
870 9911	Bottle Jack Air/Hydraulic	20T	1

PN	DESC	T	QTY
870 3637	18202 Air/Hydraulic Bottle Jack	20T	1
870 9909	Low Air/Hydraulic Bottle Jack	20T	1
870 3440	WS 24LS Screw-Type Axle Stands (Pair)	24T	1
870 3433	WS 24L Low Axle Stands (Pair)	24T	1
870 9913	Low Profile Air/Hydraulic Bottle Jack	20T	1
870 2529	Locking Pin Axle Stands (Pair)	12T	1
870 3442	Screw Adjustment Axle Stands (Pair)	12T	1
HBN XL0	Low Air Bellow Jack	2.5T	1
870 9915	Air Valve Complete Assembly (inc. Hose)		1
870 4245	Jacking Pole		1


Jacking & Lifting Accessories



519 4492



519 4491



519 4494




519 3942
519 3944



311 2451



236 797



THE EFFORTLESS TYRE REMOVAL TOOL 519 3942

Simple in design and drastically helps technicians when mounting and demounting heavy wheel assemblies to and from a vehicle's hub. The TRAC TYRE JACK simply slides under the tyre and wheel and allows the technician to roll the wheel into place. Through the use of leverage, the TRAC TYRE JACK saves users time and their backs. Use the Jack and not your back!

TURN YOUR TROLLEY JACK INTO AN AXEL STAND 311 2451

The Fast Lock Jack Block is the ultimate solution for transforming your floor jack quickly into a secure jack stand. It extends 217mm (8.54) to 342mm (13.88) and is equipped with a spring release for easy positioning. A must have for quickly and safely supporting all kinds of vehicles. Especially those that don't show multiple lift/support points. Recommended for workshops and mobile operators that service EV's.



PN	DESC	QTY
311 2451	Fast Lock Jack Block	1
519 3942	Tyre Trac Lift	1
519 3944	Tyre Trac Lift Roller Plate Attachment	1
236 793	Jacking Support Block 600x150x150mm	1
236 795	Jacking Support Block 25mm	1
236 796	Jacking Support Block 50mm	1

PN	DESC	QTY
236 797	Jacking Support Block 75mm	1
519 4494	Jacking Puck for Hyundai Kona	1
519 4491	Jacking Puck for Tesla	1
519 4492	Jacking Puck for Ford Mach E (Front)	1
519 4493	Jacking Puck for Ford Mach E (Rear)	1

Bead Breaking Equipment



PN	DESC	QTY
518 4550	Little Buddy Manual Bead Breaker	1
311 1037	Commercial Bead Knocker	1
518 4701	Bead Gaither Vice	1
875 9346	Bead Wedge	1
519 3947	Truck Tyre Filler Standard	1
311 4357	Tyre Spreader Bench Car	1
518 4715	Bead Breaker EVA/EVH	1

PN	DESC	QTY
519 1705	Bead Breaker Agric C/W Pump & Hose	1
519 1719	Pump Foot Hydraulic	1
519 1726	Bead Breaker Agric Hydraulic Hose	1
519 1712	Bead Breaker Agric Hydraulic	1
801 1417	Brace Drive Square 1"	1
801 1424	Wheel Bar Brace 1"	1
870 1686	Extension Bar 1" Drive 10" Long Impact	1
840 0097	Brace Spider Hazet 705-VO-02	1

Tyre Bars & Levers



PN	DESC	SIZE	QTY
870 2302	Tyre Lever	19mm x 940mm	
870 2180	Tyre Lever TCB 2	20"	1
870 2300	Tyre Lever TTL1	34" x 3/4" Ø	1
870 2166	Tyre Lever TTL4	34" x 1" Ø	1
870 2795	Tyre Lever TTL5	37.5" x 7/8" Ø	1
870 2290	Tyre Lever TTL55	15.25"	1
870 2898	Tyre Lever HALTI	-	1
870 2960	Tyre Lever FACE	-	1

PN	DESC	SIZE	QTY
519 9026	Tyre Lever FORCE	-	1
870 2195	Tyre Lever Spoon	20"	1
840 0444	Tyre Lever Chrome-V	500mm	1
840 0451	Tyre Lever Chrome-V	600mm	1
311 1147	Bead Breaker BBO Long	-	1
311 1288	Bead Breaker BBO Short	-	1

Hammers



PN	DESC	SIZE	QTY
837 4446	Rubber Mallet No.4	1200g	1
837 2091	Lump Hammer	2kg	1
870 3213	Sledge Hammer Half	4lb	1
870 3206	Sledge Hammer	7lb	1
870 3299	Sledge Hammer	14lb	1

PN	DESC	SIZE	QTY
870 9860	Sledge Hammer	4lb	1
870 9839	Sledge Hammer	8lb	1
870 9846	Sledge Hammer	10lb	1
870 9867	Sledge Hammer	14lb 36"	1

Torque Wrenches



PN	DESC	LENGTH	DRIVE	NM	INCREMENTS	QTY
311 4440	Norbar 5RN	1449mm	1"	300-1000	20Nm	1
311 4433	Norbar 340	685mm	1/2"	60-340	5Nm	1
311 4426	Norbar 300	588mm	1/2"	60-300	1Nm	1
RG1 0160	RG Breakback Window	1550mm	1"	300-1000	20Nm	1
RG1 0150	RG Numeric Window	615mm	1/2"	60-340	2Nm	1

Balance Weights




PN	WEIGHT	DESC	QTY
5657935	5g	Uncoated Zinc Steel Rim	100
5657942	10g	Uncoated Zinc Steel Rim	100
5657949	15g	Uncoated Zinc Steel Rim	100
5657956	20g	Uncoated Zinc Steel Rim	100
5657963	25g	Uncoated Zinc Steel Rim	100
5657970	30g	Uncoated Zinc Steel Rim	100
5658113	35g	Uncoated Zinc Steel Rim	50
5658120	40g	Uncoated Zinc Steel Rim	50
5658127	45g	Uncoated Zinc Steel Rim	50
5658134	50g	Uncoated Zinc Steel Rim	50
5657816	5g	Coated Zinc Alloy Rim	100
5657823	10g	Coated Zinc Alloy Rim	100
5657830	15g	Coated Zinc Alloy Rim	100
5657837	20g	Coated Zinc Alloy Rim	100
5657844	25g	Coated Zinc Alloy Rim	100
5657851	30g	Coated Zinc Alloy Rim	100
5658085	35g	Coated Zinc Alloy Rim	50
5658092	40g	Coated Zinc Alloy Rim	50
5658099	45g	Coated Zinc Alloy Rim	50
5658106	50g	Coated Zinc Alloy Rim	50
5655106	5g	Steel Weight for Steel Rim	100
5655113	10g	Steel Weight for Steel Rim	100
5655120	15g	Steel Weight for Steel Rim	100
5655137	20g	Steel Weight for Steel Rim	100



PN	WEIGHT	DESC	QTY
5655144	25g	Steel Weight for Steel Rim	100
5655151	30g	Steel Weight for Steel Rim	100
5655168	35g	Steel Weight for Steel Rim	50
5655175	40g	Steel Weight for Steel Rim	50
5655182	45g	Steel Weight for Steel Rim	50
5655199	50g	Steel Weight for Steel Rim	50
5655209	5g	Steel Weight for Alloy Rim	100
5655216	10g	Steel Weight for Alloy Rim	100
5655223	15g	Steel Weight for Alloy Rim	100
5655230	20g	Steel Weight for Alloy Rim	100
5655247	25g	Steel Weight for Alloy Rim	100
5655254	30g	Steel Weight for Alloy Rim	100
5655278	35g	Steel Weight for Alloy Rim	50
5655285	40g	Steel Weight for Alloy Rim	50
5655292	45g	Steel Weight for Alloy Rim	50
5655309	50g	Steel Weight for Alloy Rim	50
5656158	1200x5g	Grey	1
5656116	4x5g / 4x10g	Grey	50
5656214	4x5g / 4x10g	Grey	100
5656050	4x5g / 4x10g	Grey	100
5656095	4x5g / 4x10g	Grey	100
5656207	4x5g / 4x10g	Black	50
5656102	4x5g / 4x10g	Black	50
5656200	4x5g / 4x10g	Black	100

Wheel Balancing & Accessories



750 2903



RG10340



870 4714Y
870 4707Y



870 4626Y
870 4633Y



565 4468



750 2910
750 2989



EQUAL FLEXX BALANCING COMPOUND 750 2910 / 750 2989

With 2x more vibration absorption power, EQUAL FLEXX is the new industry benchmark in wheel-end balancing, delivering more even tyre wear, lower rolling resistance and the smoothest ride. We put 50+ compounds to the test as we developed EQUAL FLEXX – the newest member of the EQUAL family – and determined it wasn't one compound that maximises vibration reduction, but a combination of two compounds that react and absorb force better than any other internal wheel-end balancer on the

PN	DESC	SIZE	QTY
750 2910	Equal Flexx A	12oz	1
750 2927	Equal Flexx B	10oz	1
750 2958	Equal Flexx C	8oz	1
750 2965	Equal Flexx D	6oz	1
750 2972	Equal Flexx E	4oz	1
750 2989	Equal Flexx F	3oz	1
870 4624Y	Yellow Nut Indicator	24mm	1
870 4627Y	Yellow Nut Indicator	27mm	1

PN	DESC	SIZE	QTY
870 4630Y	Yellow Nut Indicator	30mm	1
870 4632Y	Yellow Nut Indicator	32mm	1
870 4633Y	Yellow Nut Indicator	33mm	1
870 4714Y	Yellow Nut Safety Cap (Long Reach)	32mm	1
870 4707Y	Yellow Nut Safety Cap (Long Reach)	33mm	1
750 2903	Balance Weight Pliers		1
RG10340	Premium Balance Weight Pliers		1
565 4468	Adhesive Weight Removal Tool		1

Air Tools



870 0110



870 0038



870 0045



870 0052



870 0131



870 0233



870 0306



870 0330

KI-36-6 SUPER DUTY IMPACT WRENCH

870 0237

The KI-36-6 twin hammer 7" wrench is the daily workhorse of the range and is ideally suited for the Commercial & Automotive Industry. It is a lightweight, balanced wrench, and gives a powerful smooth performance of 1500ft/lbs at 90psi. Again this is an inside trigger and has 3 speed adjustable power settings both forward and reverse. Highly recommended



870 0237



870 1838



869 9986

PN	DESC	QTY
870 0110	Drill Air 1/2" KD865 KC Reversible	1
870 0038	Drill Air 3/8" KD863 KC Reversible	1
870 0045	Cut Off Tool 3" HD	1
870 0052	Buffer Air KI6206-IN	1
870 0131	Wrench Impact 1/2" (Kuani KI 857)	1
870 0233	Wrench Impact 1/2" (Kuani KI 853)	1

PN	DESC	QTY
870 0330	Wrench Impact 1/2" (Kuani KI-853K Kit)	1
870 0306	Wrench Impact 1/2" (Kuani KI-856)	1
870 0237	Wrench Impact 1" (Kuani KI 36-6)	1
870 1838	Wrench Impact 1" (KI-1838-6 Composite)	1
869 9986	Wrench Impact 1" (AW-200-F Composite)	1

Air Hoses & Air Hose Reels



BluBird Industries manufactures premium rubber hoses and metal auto-retractable hose reels, ensuring top-tier quality and durability. With 30+ years of expertise, we are the only company producing both in-house. Our innovative, high-performance hoses serve industrial, automotive, construction, and agricultural needs worldwide.



311 2603



311 3278



311 2708



311 2631



311 3166



311 2638



211 5711



311 2463

PN	DESC	SIZE	QTY
311 2596	BluBird Airline Hose HD	6mm (20m)	1
311 2603	BluBird Airline Hose HD	10mm (20m)	1
311 2610	BluBird Airline Hose HD	13mm (20m)	1
311 3278	Oilshield Airline Hose HD	8mm (20m)	1
311 2708	BluBird Whip Hose	1/2" BSP	1

PN	DESC	SIZE	QTY
311 2631	BluBird Air Hose Reel HD	13mm (15m)	1
311 3166	Oilshield Air Hose Reel HD	10mm (15m)	1
311 2638	BluBird Swivel Mount for Hose Reels		1
211 5711	PCL Retractor Hose Reel	3/8"	1
311 2463	JAMECPM Retractor Hose Reel	3/8" (20m)	1

Tyre Inflation Tools & Couplings



211 0247



211 0268



211 0254



211 0240



211 0261



870 1947



211 3452



211 2659



211 2752



211 2099



519 9356

PN	DESC	QTY
211 0247	MK4 Airline Gauge AFG4H03 (0.5m Hose)	1
211 0268	MK4 Airline Gauge AFG4H04 (0.5m Hose)	1
211 0254	MK4 Airline Gauge AFG4H05 (1.8m Hose)	1
211 0240	MK4 Airline Gauge AFG4H06 (2.7m Hose)	1
211 0261	MK4 Airline Gauge AFG5H36 (3.6m Hose)	1
519 9356	Dial Airline Gauge EURODAINU	1

PN	DESC	QTY
211 1052	Connector Twin Clip-on C03A-03 Open	1
211 1076	Connector Twin Clip-on C03B-03 Closed	1
211 2659	Coupling 100S Fem 1/2" AC5JF	1
211 2752	Coupling 100S Fem 1/2" ACA3035	1
211 2099	Adaptor Screwed 1/4" BSP Male ACA2593	1
211 3452	Coupling Vertex 1/4" Fem AC91CF	1

Tyre Inflation Accessories & Gauges



519 1863



311 1019




RG10040



595 2976

PN	DESC	QTY
519 1863	25ft Magnetic Retractable Barrier	1
311 1019	4 Bar Tyre Inflation Safety Cage	1
595 2976	3-1 Battery Operated Starter Kit with Compressor	1

PN	DESC	QTY
RG10040	12V Emergency Tyre Repair Kit	1
RG10042	12V Emergency Tyre Repair Kit Spare Liquid	




ROADSIDE EMERGENCY TYRE REPAIR KIT RG10040

The Emergency Roadside Tyre Repair Kit includes a 12V compressor, 450ml Sealant bottle (Spare sealant available RG10042), and inflatable accessories, providing a quick and easy tyre repair solution. TPMS safe and ready in under 10 minutes, no additional tools are needed. It also works as a regular inflator and comes in a compact storage bag for convenience.



211 6715



519 1653



211 5522



211 5412

PN	DESC	QTY
211 5412	Tyre Pressure Gauge GA130	1
211 5436	Tyre Pressure Gauge TPG57-03	1
211 5522	Tread Depth Gauge PCL 1.6mm	1

PN	DESC	QTY
211 6715	Tread Depth Gauge Digital	1
519 1653	Tread Depth Gauge Brass	1

IMPACT WRENCH



20V
LITHIUM ION

1,300Nm
MAX TORQUE

1/2"
SHAFT OUTPUT

2,000
MAX RPM

x2

IMPACT DRIVER



20V 1/4"
LITHIUM ION HEX DRIVE

4,000
MAX RPM

3200IPM
IMPACT FREQUENCY

320Nm
MAX TORQUE

x2

MULTI-TOOL



20V
LITHIUM ION

6 SPEED
OSCILLATING RATE

KICKBACK
PROTECTION FUNCTION

VARIABLE
SPEED 5000-19000 RPM

Comes with accessory starter pack!

x2

ANGLE GRIDER



20V
LITHIUM ION

115mm
MAX DISC DIAMET

10,000
RPM IDLE SPEED

M14
SPINDLE THREAD

700W
INPUT POWER

x2



PN	DESC	QTY
RG10000	IMPACT WRENCH KIT (X2 BATT + CHARGR + CASE)	1
RG10020K	IMPACT DRIVER KIT (X2 BATT + CHRGR + CASE)	1
RG10025K	MULTI-TOOL KIT (X2 BATT + CHRGR + CASE)	1

PN	DESC	QTY
RG10015K	ANGLE GRINDER KIT (X2 BATT + CHRGR + CASE)	1
RG10057	5.0AH BATTERY	1



Abraacs creates high-quality abrasives by focusing on innovation, customer feedback, and rigorous testing. We develop solutions that help industries work safer, faster, and more efficiently. Every product undergoes strict quality control before distribution, ensuring reliability and performance.



ABFZ10TOB

PF11530DM


PF11530DM

PF11530DM

PN	DESC	SIZE	TYPE	SPEC	QTY
ABSF115(GRIT)C	Semi Flexible Grinding Discs	115 x 22mm	Grinding Discs	36/60g	10
PF11530DM	Flat Metal Cutting Disc	115 x 3.0 x 22mm	Metal Cutting Disc	-	25
PF23030DM	DPC Metal Cutting Disc	230 x 3.0 x 22mm	Metal Cutting Disc	-	25
PF10060DM	DPC Metal Grinding Disc	100 x 6.0 x 16mm	Metal Grinding Disc	-	25
PF11560DM	DPC Metal Grinding Disc	115 x 6.0 x 22mm	Metal Grinding Disc	-	25
PF23060DM	DPC Metal Grinding Disc	230 x 6.0 x 22mm	Metal Grinding Disc	-	10
PF23030FS	Flat Stone Cutting Disc	230 x 3.0 x 22mm	Stone Cutting Disc	-	25
PF23060DS	DPC Stone Grinding Disc	230 x 6.0 x 22mm	Stone Grinding Disc	-	10
ABFZ10tOB(GRIT)	Zirconium Flap Disc	100 x 16mm	Zirconium Flap Disc	40, 60, 80	25
ABFZ115B(GRIT)	Zirconium Flap Disc	115 x 22mm	Zirconium Flap Disc	40, 60, 80	25
PH07510FI	Flat INOX Extra Thin Cutting Disc	75 x 1.0 x 10mm	INOX Extra Thin Cutting Disc	Phoenix	100
PFET10010FI	Flat INOX Extra Thin Cutting Disc	100 x 1.0 x 10mm	INOX Extra Thin Cutting Disc	Proflex	25
PFET11510FI	Flat INOX Extra Thin Cutting Disc	115 x 1.0 x 22mm	INOX Extra Thin Cutting Disc	Proflex	10
PFET11510FI1000	Flat INOX Extra Thin Cutting Disc	115 x 1.0 x 22mm	INOX Extra Thin Cutting Disc	Proflex	25
PFET12510FI	Flat INOX Extra Thin Cutting Disc	125 x 1.0 x 22mm	INOX Extra Thin Cutting Disc	Proflex	100
PFET23018FI	Flat INOX Extra Thin Cutting Disc	230 x 1.8 x 22mm	INOX Extra Thin Cutting Disc	Proflex	25
ABPOBROWN	Coarse Non-Woven Flap Discs	115 x 22mm	Non-Woven Flap Discs	Coarse	10
ABPOMAROON	Medium Non-Woven Flap Discs	115 x 22mm	Non-Woven Flap Discs	Medium	10
ABPOGREEN	Fine Non-Woven Flap Discs	115 x 22mm	Non-Woven Flap Discs	Fine	10
ABFD100(GRIT)A	AL/OX Fibre Sanding Disc	100 x 16mm	Fibre Sanding Disc	036, 060, 080	25
ABFD115(GRIT)A	AL/OX Fibre Sanding Disc	115 x 22mm	Fibre Sanding Disc	036, 060, 080	25
PHBP100101.5	Backing Pad	100 x M10 1.5	Backing Pad	-	1
PHBP11514	Backing Pad	115 x M14	Backing Pad	-	1
ABPOLY115	Black Poly Disc	115 x 22mm	Poly Disc	-	1
ABPOLYSM050	Spindle Mounted Poly Wheel	50 x 13 x 6mm	Spindle Mounted Poly Wheel	-	1
ABPOLYSM075	Spindle Mounted Poly Wheel	75 x 13 x 6mm	Spindle Mounted Poly Wheel	-	1



ABSFI15(GRIT)C



ABQLBY050



PZ225



IPZ22505



ABER2550(GRIT)



ABES(GRIT)

PN	DESC	TYPE	SPEC	QTY
PZ225	Screwdriver Bits	25mm PZ2	25pc pack	1
PH225	Screwdriver Bits	25mm PH2	25pc pack	1
IPH22525	Impact Screwdriver Bits	25mm PH2	25pc Tub	1
IPZ22505	Impact Screwdriver Bits	25mm PZ2	5pc Blister Pack	1
IPZ25010	Impact Screwdriver Bits	50mm PZ2	10pc Tub	1
ABQLBY050	Quick-Lock Bristle Brush (Yellow)	50mm	80g	10
ABQLBG050	Quick-Lock Bristle Brush (Green)	50mm	50g	10
ABQLBY075	Quick-Lock Bristle Brush (Yellow)	75mm	80g	10
ABQLBG075	Quick-Lock Bristle Brush (Green)	75mm	50g	10
ABQLBM050	Quick-Lock Bristle Brush (Mixed)	50mm	5x 50g, 5x 80g	10
ABQLBM075	Quick-Lock Bristle Brush (Mixed)	75mm	5x 50g, 5x 80g	10
ABER2550(GRIT)	Emery Roll	25mm x 50m	040/060/080/100/120/150g	1
ABER5050(GRIT)	Emery Roll	50mm x 50m	040/060/080/120/150g	1
ABES(GRIT)	Emery Roll	25mm x 50m	040/060/080/100/120/150g	25

HSS-G DRILL BITS



PN	SPEC	QTY
HSSG015010	1.5mm	10
HSSG020010	2.0mm	10
HSSG025010	2.5mm	10
HSSG030010	3.0mm	10
HSSG032010	3.2mm	10
HSSG035010	3.5mm	10
HSSG040010	4.0mm	10
HSSG042010	4.2mm	10
HSSG045010	4.5mm	10
HSSG048010	4.8mm	10
HSSG050010	5.0mm	10
HSSG055010	5.5mm	10
HSSG060010	6.0mm	10
HSSG065010	6.5mm	10
HSSG070010	7.0mm	10
HSSG075010	7.5mm	10
HSSG08005	8.0mm	5
HSSG08505	8.5mm	5
HSSG09005	9.0mm	5
HSSG09505	9.5mm	5

PN	SPEC	QTY
HSSG10005	10.0mm	5
HSSG10505	10.5mm	5
HSSG11005	11.0mm	5
HSSG11505	11.5mm	5
HSSG12005	12.0mm	5
HSSG12505	12.5mm	5
HSSG13005	13.0mm	5
LONG SERIES		
HSSGLS020	2.0mm x 85mm	10
HSSGLS025	2.5mm x 95mm	10
HSSGLS030	3.0mm x 100mm	10
HSSGLS032	3.2mm x 106mm	10
HSSGLS035	3.5mm x 112mm	10
HSSGLS040	4.0mm x 119mm	10
HSSGLS042	4.2mm x 119mm	10
HSSGLS045	4.5mm x 126mm	10
HSSGLS050	5.0mm x 132mm	10
HSSGLS055	5.5mm x 139mm	10
HSSGLS060	6.0mm x 139mm	10
HSSGLS065	6.5mm x 148mm	10
HSSGLS070	7.0mm x 156mm	10
HSSGLS080	8.0mm x 165mm	5
HSSGLS090	9.0mm x 175mm	5
HSSGLS100	10.0mm x 184mm	5
HSSGLS110	11.0mm x 195mm	5
HSSGLS120	12.0mm x 205mm	5
HSSGLS130	13.0mm x 205mm	5



PN	SPEC	QTY
SDSET42	25mm - 1x H3, 1x H4, 1x H5, 1x H6, 2x T15, 2x T20, 2x T25, 1x T30, 1x SL4, 1x SL5, 1x SL6, 2x PH1, 2x PH2, 2x PH3, 1x PH4, 2x PZ1, 2x PZ2, 2x PZ3, 1x PZ4 50mm - 1x T20, 1x PH1,1x PH2, 1x PH3, 1x PZ1, 1x PZ2, 1x PZ3, 90mm - 1x T20, 1x PH2, 1x PH3, 1x PZ2, 1x PZ3 1x Impact Bit Holder & 25mm PZ2 Bit	1

Workshop Lighting



Available individually or bundled with Wireless Fast Charging Pad



EHLW 410

EHLW 440

EHLW 420

EHLW 430



CHARGE TWO DEVICES AT ONCE. INCLUDING YOUR MOBILE!

The Wireless Dual Charging Pad (EHL400) offers fast, simultaneous charging for two devices. It supports wireless charging for compatible smart phones and features a pull-out phone holder for Qi-enabled devices up to 168 x 85 x 10mm. Strong front-facing magnets securely attach compatible wireless charging accessories, while rear magnetic panels allow easy mounting on metal surfaces for added convenience.

PN	DESC	LUMENS	BATTERY LIFE	CHARGE TIME	QTY
EHLW 410	Compact Spotlight	1000	12hrs	1.5hrs	1
EHLW 411	Compact Spotlight + Charging Pad	-	-	-	1
EHLW 420	Slim Inspection Light	1000	12hrs	1.5hrs	1
EHLW 421	Slim Inspection Light + Charging Pad	-	-	-	1
EHLW 430	Wireless Adjustable Beam Torch	9000	12hrs	1.5hrs	1
EHLW 431	Wireless Adjustable Beam Torch + Charging Pad	-	-	-	1
EHLW 440	Work Lamp & Flexi Light	1500	14hrs	1.5hrs	1
EHLW 441	Work Lamp & Flexi Light + Charging Pad	-	-	-	1
EHLW 400	Wireless Charging Pad	-	-	-	1

Workshop Lighting



311 3201



311 3208



311 3194




311 3215



EHL 1000



EHL 1010



LIGHT UP YOUR ENGINE BAY EHL 1010

The Best Lamp for Under-Hood Use. This versatile under-hood lamp features dimmable settings (High, Medium, ECO, and Off) for adjustable brightness. It includes a 120° swivel hook and a 90° rubber-coated hanging hook for flexible positioning. The telescopic length adjusts between 125cm and 155cm, making it ideal for use on nearly all cars and trucks.

PN	DESC	LUMENS	BATTERY LIFE	CHARGE TIME	QTY
311 3201	COB Slimline Inspection Lamp & Torch	800	12hrs	4.5hrs	1
311 3208	LED Motion Sensor Head Torch	350	30hrs	6hrs	1
311 3194	COB Hand Lamp & Charging Dock	1000	15hrs	5.5hr	1
311 3215	COB Heavy Duty Work Light + Powerbank	2800	5hrs	6hrs	1
EHL 1000	10W Multi Position COB LED Inspection Lamp	1000	5hrs	3.5hrs	1
EHL 1010	Multi Position 40 SMD LED Under Bonnet Lamp	1000	6hrs	2hrs	1

Electric Vehicle Tooling



RG10140



RG10120




RG10110



RG10130



RG10411



VARIOUS

PN	DESC	SIZE	QTY
RG10200	Open Jaw Wrench	10mm (108mm)	1
RG10205	Open Jaw Wrench	13mm (144mm)	1
RG10210	Open Jaw Wrench	15mm (163mm)	1
RG10215	Open Jaw Wrench	17mm (163mm)	1
RG10220	Open Jaw Wrench	19mm (180mm)	1
RG10225	Open Jaw Wrench	24mm (224mm)	1
RG10450	Slotted Screwdriver	2.5 x 75mm	1
RG10454	Slotted Screwdriver	4 x 100mm	1
RG10456	Slotted Screwdriver	5.5 x 125mm	1
RG10458	Slotted Screwdriver	6.5 x 150mm	1
RG10460	Slotted Screwdriver	0 x 60mm	1
RG10462	Philips Screwdriver	1 x 80mm	1
RG10464	Philips Screwdriver	2 x 100mm	1

PN	DESC	SIZE	QTY
RG10350	Combi Pliers	6"	1
RG10355	Long Nose Pliers	8"	1
RG10365	Bent Nose Pliers	8"	1
RG10360	Diagonal Side Cutters	6"	1
RG10370	Wire Strippers	6"	1
RG10412	6 Pc Insulated Screwdriver Set		1
RG10410	7 Pc Insulated Screwdriver Set		1
RG10411	8 Pc Insulated Screwdriver Set		1
RG10130	Open End 5 Pc Wrench Set		1
RG10120	1/2" 7 Pc Socket Set		1
RG10110	3/8" 9 Pc T-Handle Sockets & Screwdrivers		1
RG10140	3/8" 27 Pc Tool Set		1
RG10470	Voltage Tester		1

EV SAFETY EQUIPMENT

We offer a comprehensive range of EV safety products designed to ensure the protection of both vehicles and operators. From charging cables to high-voltage disconnects, our solutions are built with advanced safety features to meet the evolving needs of the electric vehicle industry.

Car, Van & Motorcycle Valves



212 6442



212 2413



212 2414



212 6662



212 2396



562 2696



562 2658



562 2665



562 1013



562 2603



562 2713



562 2624



212 6421



212 6655

PN	DESC	TYPE	QTY
212 6442	TR412	Snap-in	1
212 2413	TR413	Snap-in	100
212 2414	TR414	Snap-in	100
212 6428	TR415	Snap-in	10
212 6662	TR415	Snap-in	100
212 2396	TR418	Snap-in	100
562 2713	Motorcycle Rubber-Metal	Snap-in	1
212 6421	HP Transit	Snap-in	1

PN	DESC	TYPE	QTY
212 6655	Van TR600 XHP	Snap-in	1
562 2658	Car Metal 42MS	Clamp-in	1
562 2743	Car Einky	Clamp-in	1
562 2696	Car Metal TR416S 40MS	Clamp-in	1
562 2603	Motorcycle	Clamp-in	1
562 1013	Motorcycle Metal	Clamp-in	1
212 6494	42MS	Clamp-in	1
562 2624	Motorcycle 11.3mm Rim Hole	Valve Nut	1

Tubeless Valves for Truck, Bus & Tractor



PN	DESC	TYPE	QTY
212 6781	Truck Super-Single 32MS	Clamp-in	1
562 6812	Truck 70MS	Clamp-in	10
562 6836	Truck 100MS	Clamp-in	10
562 6843	Truck 119MS	Clamp-in	10
212 6449	Truck AV	Clamp-in	10
212 6456	Truck Bent AV	Clamp-in	10
212 6606	Truck Safety-Hump (AV)	Clamp-in	10
212 6620	Truck S/Single 42MS (AV)	Clamp-in	1
562 6939	Truck 130MSF	Clamp-in	1
562 6609	Truck 40MSF	Clamp-in	1
563 6400	Truck Scania 2112	Clamp-in	1
212 6463	Truck Alcoa Dill	Clamp-in	1
212 6669	Truck Alcoa Long 82 (AV)	Clamp-in	1
212 6315	Truck Alcoa M762M	Clamp-in	1

PN	DESC	TYPE	QTY
562 2707	Truck Alcoa MS70-7	Clamp-in	1
562 2651	Truck Alcoa Short 36mm	Clamp-in	1
212 6407	Truck Alloy Bent	Clamp-in	1
562 6537	Truck TR544 D	Clamp-in	1
563 6417	Truck VX8721	Clamp-in	1
212 6627	EM Single Bend J650/79mm/80°	Clamp-in	1
563 7090	EM TRJ4000 4.25"/108mm	Clamp-in	1
563 7100	EM TRJ4000 4.50"/114mm	Clamp-in	1
212 6613	Spud EM TR SP2 (AV)	Clamp-in	1
212 6508	Air/Water TR618A(AV)	Clamp-in	1
212 6515	Air/Water TR623A (AV)	Clamp-in	1
212 6501	Air/Water A35 GWS (AV)	Snap-in	1
562 3138	Water Filling "Hanauer Maus"	Adaptor	1

Valve Extensions & Extension Holders



PN	DESC	TYPE	QTY
562 4299	Motorcycle	45°	1
212 6732	Motorcycle (AV)	90°	1
562 4405	Truck Flex	125mm	1
562 4106	Truck Flex (with Clip)	125mm	1
562 4412	Truck Flex	150mm	1
562 4429	Truck Flex	175mm	1
562 4436	Truck Flex	200mm	1
562 4553	Truck PVC	71mm	10
562 4560	Truck PVC	115mm	10
562 4577	Truck PVC	150mm	10
562 4584	Truck PVC	170mm	10
562 4076	Truck Rigid (Short Collar)	76mm	1
562 4100	Truck Rigid (Short Collar)	100mm	1
562 4010	Truck Rigid	32mm	1
212 6522	Truck Rigid	52mm	1
212 6529	Truck Rigid	76mm	1
212 6550	Truck Rigid	100mm	1
212 6543	Truck Rigid	112mm	1

PN	DESC	TYPE	QTY
212 6536	Truck Rigid	126mm	1
562 4003	Truck Rigid	160mm	1
562 4216	Truck (Michelin)	85mm	1
212 6564	Truck (Michelin)	105mm	1
212 6648	Truck (Michelin)	125mm	1
212 6571	Truck (Michelin)	140mm	1
212 6578	Truck (Michelin)	180mm	1
212 6585	Truck (Michelin)	210mm	1
212 6393	Truck PVC (AV)	70mm	10
212 6400	Truck PVC (AV)	115mm	10
212 6592	Truck PVC (AV)	150mm	10
212 6599	Truck PVC (AV)	170mm	10
562 4515	Plastic Car Cap	32mm	10
562 4151	Commercial Double Check Cap		100
212 6557	Truck Holder Single (AV)		1
212 6641	Truck Holder Double (AV)		1
562 4142	Truck Holder (Morse Clip)		1

Valve Cores & Tools



214 0391



212 6470



562 0083

PN	DESC	TYPE	QTY
212 6470	Valve Core Short	Car & Truck	100
214 0391	Valve Core High-Temperature	Car & Truck	100
562 8116	Valve Core S/D Single End	Car & Truck	1

PN	DESC	TYPE	QTY
562 0083	Valve Core Short	EM	10
562 3066	Valve Core Insert CH3	Air/Water	10



562 8308



562 8322



562 8315



562 8102



562 8116



562 8061



562 8054



562 8308



562 8360

PN	DESC	QTY
562 8119	Multi Purpose Tool	1
562 8054	Valve Repair Tool (Black)	1
562 8322	Alloy Valve Mounting Tool	1
562 8308	Hold On Valve Mounting Tool	1
562 8308	Screw On Valve Mounting Tool	1

PN	DESC	QTY
562 8315	Valve Fishing Tool	1
562 8061	Valve EM Repair Tool	1
562 8102	Valve Core Screwdriver Car & Truck	1
562 8360	Valve Core Screwdriver Car & Truck	1

Valve Caps & Connectors



212 6477



562 0155



212 6484



562 0313



563 6242

PN	DESC	TYPE	QTY
212 6484	Black Plastic Cap	Car	100
562 0306	Red Plastic Cap	Car	100
562 0313	Green Plastic Cap	Car	100
212 6477	Metal Cap	Car & Truck	100

PN	DESC	TYPE	QTY
562 0155	Metal Short Collar Cap	Car & Truck	100
563 5054	Blue Hex High-Pressure Cap	Truck	100
563 6242	Nickel Hex High-Pressure Cap	Truck	100
563 6249	Yellow Hex High-Pressure Cap	Truck	100



562 8195




214 0401



562 0368




214 7583



562 5105

PN	DESC	QTY
562 8195	Deflation Nipple	1
214 0401	EM Clip-on Chuck, Large Bore, Open End	1
562 0368	Valve Reducer, EM Cap Type	10

PN	DESC	QTY
214 7583	Valve Reducer, EM TR AD1 Type	1
562 5105	Connector Clip-on for Car, 1067 Model	1
562 5129	Connector Clip-on for EM	1



REMA TIP TOP supplies a comprehensive range of valves and accessories. The products listed above represent a popular but small selection. The full range includes:

- Schrader valves
- High-pressure valves
- Tubeless snap-in valves
- Clamp-in valves
- Valve cores
- Valve caps
- TPMS Valves
- TPMS Tools
- TPMS Box Kits

TPMS Valve Box Kits

TPMS VALVE STARTER KIT 561 1085

Includes a set of essential components that work together seamlessly to simplify the installation and management of your TPMS valves.

- 40 Replacement Parts
- 28 Bolt In Valves
- 12 Rubber snap-in Valves



562 8496
6-201

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 1.0Nm
NUT TORQUE: 6.0Nm

562 8482
6-228S

KIT QTY: 4
RE ORDER QTY: 10
NUT TORQUE: 6.0Nm

562 8741
6-208

KIT QTY: 4
RE ORDER QTY: 10
SNAP-IN

562 8587
6-225A

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 1.4Nm
NUT TORQUE: 8.0Nm

562 8580
6-231C

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 8.0Nm

562 8441
6-240

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 4.0Nm
NUT TORQUE: 4.0Nm

562 8489
6-216

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 1.4Nm
NUT TORQUE: 6.0Nm

562 8456
6-235

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 6.0Nm

562 8594
6-270

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 1.2Nm
NUT TORQUE: 5.0Nm

562 8601
6-284-BS

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 3.0Nm
NUT TORQUE: 6.0Nm

562 8461
6-207

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 1.4Nm

562 8650
6-210H

KIT QTY: 4
RE ORDER QTY: 10
SCREW TORQUE: 1.4Nm

PN	DESC	QTY
561 1085	TPMS VALVE BOX KIT	1

TPMS Valve Box Kits

TRUCK TPMS VALVE BOX KIT 562 9400

Truck TPMS Valve Box Kit offers an ideal solution for maintaining fleets of heavy goods vehicles. This comprehensive kit includes six valves of varying lengths and angles, ensuring compatibility with a wide range of rim types.

- 60 Valves
- Handy storage box with separators



562 9397

KIT QTY: 10
RE ORDER QTY: 1
LENGTH: 78mm
ANGLE: 17°
SCREW TORQUE: 4.0Nm



562 9396

KIT QTY: 10
RE ORDER QTY: 1
LENGTH: 73mm
ANGLE: 0°
SCREW TORQUE: 4.0Nm



562 9398

KIT QTY: 10
RE ORDER QTY: 1
LENGTH: 58mm
ANGLE: 45°
SCREW TORQUE: 4.0Nm



562 9399

KIT QTY: 10
RE ORDER QTY: 1
LENGTH: 43.5mm
ANGLE: 0°
SCREW TORQUE: 4.0Nm



562 9394

KIT QTY: 10
RE ORDER QTY: 1
LENGTH: 54mm
ANGLE: 22°
SCREW TORQUE: 4.0Nm



562 9395

KIT QTY: 10
RE ORDER QTY: 1
LENGTH: 63mm
ANGLE: 27°
SCREW TORQUE: 4.0Nm



PN	DESC	QTY
562 9400	TRUCK TPMS VALVE BOX KIT	1

TPMS Tyre Pressure Management Systems

HAMATON ATEQ 47 562 8538

- Compact with built-in OBDII module
- Free software updates (5 years) & 2-year warranty
- ATEQ Sync-ID for 90%+ OBDII relearn compatibility
- Manual ID Entry & Retrieve ID for sensor input/retrieval
- Configures EU-Pro TPMS & Hybrid NFC/3.5 sensors
- Reads 100% of OE & aftermarket sensors
- Displays ID, Pressure, Temperature, Battery, Frequency
- Supports Manual, Auto & OBDII Relearn
- ECU reset in under 2 mins via OBDII
- 90%+ vehicle coverage with frequent updates



EU-PRO HYBRID 3.5 562 8727 / 562 8720

The EU-Pro Hybrid is a single sensor that can be configured to function as a drop in replacement for a huge number of OE sensors. Both the snap-in and clamp-in requires TPMS diagnostic tool to configure the sensor for the required vehicle.



TPMS TOOL KIT & CARRY CASE 562 8538

- Calibrated Torque Tool
- 12mm, 11mm & 7mm Sockets
- T20, T15 & T10 TorxBits
- T6 TorxDriver
- Torque Valve Core Remover
- Grommet Removal Tool



PN	DESC	QTY
562 8538	Hamaton ATEQ 47	1
562 8727	EU-Pro Hybrid 3.5 Snap-In Sensor	1
562 8720	EU-Pro Hybrid 3.5 Clamp-In Sensor	1
562 8538	Premium TPMS Tool Kit	1

How to Order...

LINES OPEN: MON - FRI - 830AM - 5:30PM

FREE DELIVERY ON ORDERS OVER £50

(DELIVERY IN MOST CASES **NEXT DAY** - CONDITIONS AND GEOGRAPHICAL LOCATIONS APPLY)

HOW TO PAY

Credit/Debit

Card We accept all major credit cards and debit cards

Cheque

All cheques made payable to REMA TIP TOP AUTOMOTIVE UK LIMITED and posted to our head office address.

Bacs/Bank Transfer

Please contact us for our bank account details

Credit A/C

Credit accounts are available on request. Please contact us for more information



0113 2770044

YOUR LOCAL REMA TIP-TOP REPRESENTATIVES...

07860 449420	Humberside and Yorkshire
07711 218949	Somerset
07860 752350	Oxfordshire
07711 218995	Ireland
07834 710191	Sussex
07860 449425	Midlands
07860 449441	London
07860 449430	North West
07850 449415	North East
07900 190776	Scotland
07860 449431	Derbyshire and Nottinghamshire
07860 757755	Norfolk, Suffolk, Cambridgeshire and Northhamshire

WWW.REMA-TIPTOP.CO.UK

- News
- Brochure Downloads
- Vacancies
- Company Information





Aftermarket Equipment Supplier of the Year
WINNER



Product Innovation of the Year
WINNER



Staff Training & Development Initiative of the Year
WINNER

REMA TIP TOP AUTOMOTIVE UK Limited
Westland Square · Leeds · West Yorkshire · LS11 5XS
Phone: +44 (0)113 277 0044
Fax: +44 (0)113 277 2139
info@tip-top.co.uk
www.rema-tiptop.co.uk



// ONE BRAND // ONE SOURCE // ONE SYSTEM

