



ENGINEERED FOR PERFORMANCE



PROFESSIONAL
LIFTING

EQUIPMENT



PNEUMATIC BOTTLE JACK

SKU# RG80000 20 TONNE CAPACITY

FEATURES


- Dual pneumatic and manual operation reduces effort during heavy lifting
- Adjustable saddle height helps position the lift rod with greater accuracy
- Chrome-plated ram provides smooth lifting while helping prevent corrosion
- Wide, stable steel build supports safe use in demanding workshop environments



SPEC	METRIC	IMPERIAL	SPEC	METRIC	IMPERIAL
CAPACITY	20 TONNES	44,092 LB	HEIGHT	220MM	8.7 IN
MAX. HEIGHT	429MM	16.9 IN	LENGTH	310MM	12.2 IN
WEIGHT	14.4KG	31.8 LB	WIDTH	210MM	8.3 IN



SWIVEL CONNECTOR



PRESSURE REDUCING VALVE



CHROME PLATED RAM

20 TON | 220MM | 429MM
CAPACITY | MIN HEIGHT | MAX HEIGHT



LOW ENTRY BOTTLE JACK

SKU# RG81000 20 TONNE CAPACITY

FEATURES


- Low-entry design improves access under vehicles with limited ground clearance
- Pneumatic and manual operation delivers strong lifting with minimal effort
- Swivel air hose connector helps prevent tangling or snagging during operation
- Safety bypass valve protects the jack from overload in demanding applications



SPEC	METRIC	IMPERIAL	SPEC	METRIC	IMPERIAL
CAPACITY	20 TONNES	44,092 LB	HEIGHT	177MM	6.9 IN
MAX. HEIGHT	320MM	12.6 IN	LENGTH	400MM	15.8 IN
WEIGHT	13.9KG	30.6 LB	WIDTH	185MM	7.3 IN



CHROME PLATED RAM



PRESSURE REDUCING VALVE



SWIVEL CONNECTOR

20 TON | 177MM | 320MM
CAPACITY | MIN HEIGHT | MAX HEIGHT



HEAVY DUTY RAPID LIFT TROLLEY JACK

SKU# RG82000 3 TONNE CAPACITY

FEATURES

- ⇒ Rapid lift action for fast heavy-duty vehicle raising
- ⇒ Three-tonne capacity supports demanding garage jobs
- ⇒ Folded frame boosts strength, rigidity and durability
- ⇒ Twin piston system gives quick, controlled lifting
- ⇒ Foot pedal speeds positioning before load contact
- ⇒ Nylon wheels allow for smooth quiet movement



SPEC	METRIC	IMPERIAL	SPEC	METRIC	IMPERIAL
CAPACITY	3 TONNES	6,614 LB	HEIGHT	190MM	7.5 IN
MAX. HEIGHT	500MM	19.7 IN	LENGTH	790MM	31.1 IN
WEIGHT	32KG	70.6 IN	WIDTH	380MM	15 IN



NYLON WHEELS



F1 STYLE 'D' HANDLE



NUTS & BOLTS TRAY

3 TON CAPACITY | **80MM** MIN HEIGHT | **500MM** MAX HEIGHT



LOW & LONG ENTRY TROLLEY JACK

SKU# RG83000 2 TONNE CAPACITY

FEATURES

- ⇒ Low-entry profile suits lowered vehicles
- ⇒ Long reach accesses deep jacking points
- ⇒ High lift height gives strong working clearance
- ⇒ Descent valve enables slow controlled lowering
- ⇒ Rubber saddle pad protects vehicle jacking points
- ⇒ Grease nipples allow quick lift-arm maintenance



SPEC	METRIC	IMPERIAL	SPEC	METRIC	IMPERIAL
CAPACITY	2 TONNES	4,409 LB	HEIGHT	205MM	8.1 IN
MAX. HEIGHT	610MM	24 IN	LENGTH	970MM	38.2 IN
WEIGHT	43.4KG	95.7 IN	WIDTH	415MM	16.3 IN



RAPID LIFT PEDAL



F1 STYLE 'D' HANDLE



NYLON WHEELS

2 TON CAPACITY | **70MM** MIN HEIGHT | **610MM** MAX HEIGHT



TESLA JACK PUCK

SKU# 519 4491

Generally compatible with:
Tesla Model 3, Y, S and X



HYUNDAI JACK PUCK

SKU# 519 4494

Generally compatible with:
Kona, i20, i30, i40 and Tucson



mach-e FRONT PUCK

SKU# 519 4492

Generally compatible with:
Ford Mustang Mach-E models



mach-e REAR PUCK

SKU# 519 4493

Generally compatible with:
Ford Mustang Mach-E models



BOTTLE JACK SAFETY POLE

SKU# 870 4245



- ⇒ Quicker bottle jack positioning
- ⇒ Improves control in tight access areas
- ⇒ Safer retrieval from under vehicles
- ⇒ Reduces the need to reach underneath

SPECIFICATIONS	METRIC	IMPERIAL
DIMENSIONS	1200MM	47.3 IN

JACKING SUPPORT BLOCK SET

SKU# 236 787

- ⇒ Stable base for safer lifting
- ⇒ Helps spread the load evenly
- ⇒ Improves support on uneven surfaces
- ⇒ Designed for use with lifting equipment



SPECIFIC SKU#	METRIC	IMPERIAL
236 795	25 X 280 X 280MM	1 X 11 X 11 IN
236 796	50 X 280 X 280MM	2 X 11 X 11 IN
236 797	75 X 280 X 280MM	3 X 11 X 11 IN



ENGINEERED FOR PERFORMANCE

MORE FROM THE RANGE

CAPITAL EQUIPMENT



BATTERY-POWERED HAND TOOLS



VDE APPROVED EV TOOLING



0113 2770044
autosales@tip-top.co.uk

Let's connect. [in](#) [whatsapp](#) [tiktok](#) [youtube](#) [instagram](#)
Get in touch today